

1 Product and Company Identification

	3 Composition/Information	n on Ingredients	
Supplemental information		None	
Hazard(s) not otherwise classified (HNOC)		None known	
WHMIS 2015: Physical Haza	rd(s) not otherwise classified (PHNOC)	None known	
WHMIS 2015: Health Hazard	(s) not otherwise classified (HHNOC)	None known	
Hazard statement		Not applicable to intact lamps.	
Signal word		Not applicable to intact lamps.	
Hazard symbol		Not applicable to intact lamps.	
WHMIS 2015 defined hazard Label elements	S		
Environmental hazards		Not applicable to intact lamps.	
Health hazards		Not applicable to intact lamps.	
Physical hazards		Not applicable to intact lamps.	
	2 Hazards Identif	ication	
Outside North America	Phone: 519-457-2318		
Within North America	Phone: 866-388-0488		
Technical assistance #			
	Phone: 888-220-6118		
	Phone: 519-457-3400		
	London, ON N5V 4T7 CA		
	3020 Gore Road		
Manufacturer information	Trojan Technologies		
Recommended restrictions	None known		
Product use	Ultraviolet (UV) Lamp		
CAS #	Mixture		
Product identifier	Low Pressure High Output Amalgam UV	Lamp	

Components	CAS#	Percent	
Indium	7440-74-6	<0.1	
Mercury	7439-97-6	<0.1	
Composition Comments	*Lamp consisting of quartz glass containing mercury amalgamated with metal(s).		



4 First Aid Measures

Inhalation	Not applicable to intact lamps.
Skin Contact	Not applicable to intact lamps.
Eye Contact	Not applicable to intact lamps.
Ingestion	Not applicable to intact lamps.
General Information	Burns caused by overexposure or severe injuries caused by fragment of quartz glass should be treated by a physician.
	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
	If you feel unwell, seek medical advice (show the label where possible).
	Show this safety data sheet to the doctor in attendance.
	Avoid contact with eyes and skin.
	Keep out of reach of children.
	There are no known health hazards from exposure to intact, un-energized lamps.

	5 Fire Fighting Measures
Flammable properties	Not flammable by WHMIS/OSHA criteria.
Suitable extinguishing media	Extinguishing powder, foam, or water.
Unsuitable extinguishing media	Not available
Specific hazards arising from the chemical	Not available
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion	May include and are not limited to: Mercury, metallic oxides.
Products	Lamp is not combustible.
	6 Accidental Release Measures
Personal precautions, protective	Keep unnecessary personnel away.
equipment and emergency procedures	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and materials for containment	In the event of a lamp breakage, appropriate action should be taken to contain the amalgam mercury.
	In a dry scenario where the lamp is not operating, solid amalgam mercury can be easily captured.
	In an operating closed- or open-channel system, a lamp breakage inside an intact sleeve can be easily captured.
	In an operating closed- or open-channel system, in case of a lamp and sleeve breakage in a system treating the water flow, no containment measure is available.
	Prevent entry of the solid amalgam mercury into waterways, sewers, or other catchment systems.
Methods and materials for cleanup	If lamps are broken, ventilate the area where the breakage occurred.

5 Fire Fighting Measures

Clean up with a mercury vacuum cleaner or with other suitable means that avoids dust and mercury vapor generation.

DO NOT USE A STANDARD VACUUM.

Take the usual precautions for collecting broken glass.

	SAFETY [DATA SHEET		
technologies™	Place collected materials in a cl	osed container to avoid generating dust.		
	In the event of a lamp breakage (solid Hg amalgam).	, appropriate action should be taken to contain the spill		
	Additional guidance on cleaning up broken lamps may be obtained at: http://www2.epa.gov/cfl/cleaning-broken-cfl#instructions.			
Environmental precautions	Do not discharge into lakes, stre	eams, ponds or public waters.		
	Do not contaminate water courses or ground.			
	Prevent entry into waterways, s	ewers, basements or confined areas.		
	This material is a water pollutant and should be prevented from contaminating soil or from entering sewage and drainage systems and bodies of water. Prevent entry into waterways, sewers, basements or confined areas.			
	This material is a water pollutant and should be prevented fro from entering sewage and drainage systems and bodies of w			
	7 Handling and	d Storage		
Precautions for safe handling	Handle carefully to avoid breakage.			
	Ensure adequate ventilation.			
	Use good industrial hygiene pra	ctices in handling this material.		
Conditions for safe storage, including any incompatibilities	Keep out of reach of children. Keep in properly labeled containers.			
8	B Exposure Controls/Pe	ersonal Protection		
Occupational exposure limits				
US. ACGIH Threshold Limit Values Components	Туре	Value		
Indium (CAS 7440-74-6)	TWA	0.1 mg/m ³		
Mercury (CAS 7440-74-6)	TWA	0.025 mg/m ³		
US. OSHA Table Z-2 (29 CFR 1910.1000) Components	Туре	Value		
Mercury (CAS 7439-97-6)	TWA	0.1 mg/m ³		
Exposure limits	Exposure to mercury is only possible due to lamp breakage, refer Section 6.			
Biological limit values	No biological exposure limits no	ted for the ingredient(s).		
Appropriate engineering controls	Use only under good ventilation conditions.			
Individual protection measures, such as personal protective	Avoid contact with eyes. Wear a	appropriate safety glasses with side shields (or goggles)		

equipment, Eye/face protection

In operation, UV lamps emit non-ionizing radiation in the 180~400 nanometer wavelength region of the electromagnetic spectrum. The UV light intensity greatly exceeds levels found in nature.

Exposure can result in temporary or permanent eye injury, skin burns or other serious effects.

Individuals present where UV lamps are in operation are at risk for UV exposure if the appropriate shielding and Personal Protective Equipment (PPE) are not used.

Refer to product manuals and product warning labels for safe operating procedures and Personal Protective Equipment.

Skin protection: Hand Avoid contact with the skin. Wear impervious gloves. Confirm from a reputable supplier first. If glass is broken, use cut resistance gloves to prevent injury.

protection



Respiratory protection

General safety and hygiene

Thermal hazards

consideration

SAFETY DATA SHEET

Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the mercury liquid is possible.

Wash hands IMMEDIATELY if mercury leakage occurs.

Contaminated clothes must be changed immediately and discarded appropriately.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Not applicable

Ultraviolet radiation is emitted from the lamps. Use of approved eye and skin protection to block UV radiation. Handle in accordance with good industrial hygiene and safety practice.

9 Physical and Chemical Properties

	10. Stability and Basativity		
Vapor pressure	In case of breakage, mercury vapor pressure: <0.01 mm Hg at room temperature.		
Flammability limits in air, lower, % by volume	Not available		
Flammability limits in air, upper, % by volume	Not available		
Auto-ignition temperature	Not available		
Flash point	Not applicable		
Evaporation rate	Not available		
Pour point	Not available		
Boiling point	Not applicable		
Freezing point	Not available		
рН	Not available		
Physical State	Solid		
Odor Threshold	Not available		
Odor	Odorless		
Form	Quartz tube containing amalgam mercury and other metals.		
Color	Colorless		
Appearance	Article (Solid)		

10 Stability and Reactivity

Reactivity	Amalgam mercury is contained in a glass tube and therefore is not able to react with chemicals within the surrounding environment.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Chemical stability	Stable under recommended storage conditions.		
Conditions to avoid	None identified for intact lamps.		
Incompatible materials	Amalgam mercury is contained in a glass tube and therefore is not able to react with chemicals within the surrounding area.		
Hazardous decomposition products	None identified for intact lamps. In case of breakage: May include and are not limited to: Mercury, metallic oxides.		



11 Toxicological Information

Toxicological data				
Components		Species	Test Results	
- Indium (CAS 7440-74-6)				
LC50				
Not Available				
LD50				
Not Available				
Mercury (CAS 7439-97-6)				
Acute				
Inhalation				
LC50		Rat	2.3 ppm, 4 hr	
LD50 Not Available				
	The lon	an which consists of au	artz glass, is not dangerous under regular condi	tiona
Emergency overview	This ite	m is a manufactured an broken. Please follow s	icle. The mercury within the lamp is only available tandard health and safety guidelines for the use	le if the
The following statements are a	pplicable c	only in case of acciden	tal breakage of the lamp:	
Routes of exposure	Eye, Sł	kin contact, Skin absorp	ion, Inhalation, Ingestion.	
Information on likely routes of	exposure:			
Eyes	May ca	use irritation.		
Skin	May ca	use irritation.		
US ACGIH Threshold Limit Val	ues: Skin d	esignation		
Mercury (CAS 7439-97-6)	Hg Car	be absorbed through the	ne skin.	
US. NIOSH: Pocket Guide to C	nemical Ha	zards		
Mercury (CAS 7439-97-6)	VAP Hợ	g Can be absorbed throu	igh the skin.	
Inhalation	May cause respiratory tract irritation.			
Ingestion	May cause stomach distress, nausea or vomiting.			
Dermal	May cause irritation.			
Chronic Effects	Long-term occupational exposure to moderate to high levels of mercury (0.035 to 0.1 mg/m3) has resulted in both nervous system and kidney effects. Significant toxicity has been observed in animals exposed to low concentrations.			
Signs and symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.			
		12 Ecological l	nformation	
Ecotoxicity		See below		
Ecotoxicological data				
Components		Species	Test Results	
Mercury (CAS 7439-97-6)				
Aquatic				
Fish	LC50	Indian catfish (Heterop	neustes fossils) 0.099 mg/l, 96 hours	
Persistence and degradability		Not available	-	
Bioaccumulation / Accumulatio	on	Not available		
US CWA Bioaccumulative		of Concern: Listed su	ostance	
		Mercury (CAS 7439-9	7-6) Listed	

TROJAN	SAFETY DATA	SHEET			
Mobility in environmental media	Not available				
Environmental effects	Not available				
Aquatic toxicity	Not available Not available Not available				
Partition coefficient					
Chemical fate information					
	13 Disposal Information	on			
Disposal instructions	Waste must be disposed of in accordance with federal, state/provincial and local environmental control regulations. This material and its container must be disposed as hazardous waste.				
Waste from residues / unused	Not available				
Products					
Contaminated packaging	Not available				
	14 Transport Information	on			
UN number					
TDG/US DOT	3506				
IMDG/IMO	3506				
IATA/ICAO	3506				
Remarks TDG/US DOT	This product is not subject to the transpor road (ADR) based on special provision 36				
Remarks IMDG/IMO	This product is not subject to the transportation regulations of dangerous goods by sea (IMDG) based on special provision 366 (<1 kg mercury per article).				
* Remarks IATA/ICAO	For transport exemptions consult IATA spe	ecial provisions A48, A69 and A191.			
UN proper shipping name					
TDG/US DOT	MERCURY CONTAINED IN MANUFACTI	URED ARTICLES			
IMDG/IMO	MERCURY CONTAINED IN MANUFACTURED ARTICLES				
IATA/ICAO	MERCURY CONTAINED IN MANUFACT	URED ARTICLES			
Transport hazard class(es)					
TDG/US DOT	8 (6.1)				
IMDG/IMO	8 (6.1)				
IATA/ICAO	8 (6.1)				
Packing group					
TDG/US DOT	none				
IMDG/IMO	none				
IATA/ICAO	none				
Environmental hazards					
Marine pollutant	No				
	15 Regulatory Informat	ion			
Canadian federal regulations	This product has been classified in accord Controlled Products Regulations and the by the Controlled Products Regulations.	dance with the hazard criteria of the MSDS contains all the information required			
Canada CEPA Schedule I: Listed	substance				
	Mercury (CAS 7439-97-6)	Listed			
Canada WHMIS Ingredient Disclo	sure: Threshold limits				
	Indium (CAS 7440-74-6)	1%			



IROJAN technologies™	JALE		SHEET
	Mercury (CAS 7439	97-6)	0.1%
WHMIS classification	Exempt - Manufactu	ured article	
Occupational Safety and Health	Administration (OSHA	A)	
29 CFR 1910.1200 hazardous ch	emical		
No			
US federal regulations	This product is a ma	anufactured article and	is exempt.
US EPCRA (SARA Title III) S	ection 313 - Toxic Che	emical: De minimis co	ncentration
	Mercury (CAS 7439	97-6) 1.0 %	
	Substance is not eli supplier notification		exemption except for the purposes of
US EPCRA (SARA Title III) S	ection 313 - Toxic Che	emical: Reportable thr	reshold
	Mercury (CAS 7439	97-6)	10 lbs
US EPCRA (SARA Title III) S	ection 313 - Toxic Che	emical: Listed substar	nce
	Mercury (CAS 7439	-97-6)	Listed
TSCA Section 12(b) Export I	Notification (40 CFR 70	07, Subpt. D)	
	Mercury (CAS 7439	-97-6)	1.0 % One-Time Export Notification only.
US CWA Bioaccumulative C	hemicals of Concern:	Listed substance	
	Mercury (CAS 7439	97-6)	Listed
US CWA Section 307(a)(1) To	oxic Pollutants: Listed	I substance	
	Mercury (CAS 7439	9-97-6)	Listed
CERCLA Hazardous Substa	•	-	
	Mercury (CAS 7439		Listed
US CAA Section 112(i) High			-
	Mercury (CAS 7439		100
US CAA Section 112(i) High-			
	Mercury (CAS 7439		Listed
Clean Air Act (CAA) Section 112		Prevention (40 CFR 6	130)
Clean Air Act (CAA) Section	Not regulated	llutanto (LIADo) List	
Clean Air Act (CAA) Section			Listed
CERCLA (Superfund) reportable	Mercury (CAS 7439	-97-0)	Listeu
CERCEA (Supervind) reportable	Mercury: 1		
Superfund Amendments and Re	•	986 (SARA) Hazard ca	ategories
	Immediate Hazard	- Yes	
	Delayed Hazard	- Yes	
	Fire Hazard	- No	
	Pressure Hazard	- No Reactivity	
	Hazard	- No	
		oduct contains a chemic er reproductive harm.	cal known to the State of California to cause
State regulations			
US - California Hazardous S	ubstances (Director's)): Listed substance	
	Indium (CAS 7440-7		Listed
	Mercury (CAS 7439	,	Listed
US - California Proposition 65 - (: Listed substance
-	Mercury (CAS 7439		

Sheet 7 of 9

	SAFETY DATA	SHEET
technologies [™] US - Illinois Chemical S	afety Act: Listed substance	
	Mercury (CAS 7439-97-6)	
US - Louisiana Spill Rep	oorting: Listed substance	
	Mercury (CAS 7439-97-6)	
US - Michigan Critical M	laterials Register: Parameter number	
-	Mercury (CAS 7439-97-6)	
US - Minnesota Haz Sub	os: Listed substance	
	Indium (CAS 7440-74-6)	Listed
	Mercury (CAS 7439-97-6)	Listed
US - New Jersey RTK - S	Substances: Listed substance	
-	Indium (CAS 7440-74-6)	Listed
	Mercury (CAS 7439-97-6)	Listed
US - New York Release	Reporting: Hazardous Substances: Listed substance	
	Mercury (CAS 7439-97-6)	
US - North Carolina Tox	ic Air Pollutants: Listed substance	
	Mercury (CAS 7439-97-6)	
US - Pennsylvania RTK hazards	- Hazardous Substances: All compounds of this sub	stance are considered environmental
	Mercury (CAS 7439-97-6)	
US - Texas Effects Scree	ening Levels: Listed substance	
	Indium (CAS 7440-74-6)	Listed
	Mercury (CAS 7439-97-6)	Listed
US - Washington Chemi	cal of High Concern to Children: Listed substance	
	Mercury (CAS 7439-97-6)	
US. Massachusetts RTK	C - Substance List	
	Indium (CAS 7440-74-6)	Listed
	Mercury (CAS 7439-97-6)	Listed
	16 Other Information	
Disclaimer	The information in the sheet was written bas currently available. Information contained he	

currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

NFPA Code	FPA Code (Health: 1) (Flammability: 0) (Reactivity: 0)		LEGEND	
Issue Date	22-January-2018	Severe	4	
Version #	01	Serious	3	
Effective Date	22-January-2018	Moderate	2	
Prepared by	Manufacturer Personnel	Slight	1	
		Minimal	0	



For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

In the event of a lamp breakage, appropriate action should be taken to contain the spill. Lamp breakage can occur in several scenarios, each requiring different action. In an operating closed- or open-channel system, a lamp and sleeve break will be very difficult to contain since the mercury vapor will quickly condense, be diluted, and subsequently carried away by the flowing wastewater/water stream. Please refer to the Section 6 in order to respond to a lamp breakage.